


alta pressione high pressure



AR 1064

TIPO Type	N° mem- brane N° of diaph.	PORTATA Delivery		PRESSIONE Pressure		POTENZA Power HP	Giri/min R.P.M.	PESO Weight kg	DIMENSIONI Dimensions			Aspira- zione Suction mm	Mandata Outlet mm
		L/min	gpm	bar	psi				LxHxW mm				
AR 713	3	71	18.7	40	580	8.6	550	20	360	335	337	Ø 40	Ø 3/4"G(M
AR 813	3	81	21.4	50	725	9.9	550	20	360	335	337	Ø 40	Ø 3/4"G(M
AR 1064	4	105	27.7	50	725	13.1	550	22	421	381	337	Ø 40	Ø 3/4"G(M
AR 1265	5	126	33.3	50	725	15.6	550	29	380	404	332	Ø 40	Ø 3/4"G(M
AR 1516	6	151	39.9	50	725	18.6	550	34	406	446	415	Ø 40	Ø 3/4"G(M



AR 713
AR 813

AR 1064

AR 1265

AR 1516

10

POMPE A MEMBRANA AD ALTA PRESSIONE ANODIZZATE

Anodized high pressure diaphragm pumps • Pompes à membrane a haute pression anodisées •
Eloxierte Hochdruck Membranpumpen • Bombas de membrana de alta presión galvanizadas



AR series

alta pressione high pressure



AR 1203

TIPO Type	N° mem- brane N° of diaph.	PORTATA Delivery		PRESSIONE Pressure		POTENZA Power HP	Giri/min R.P.M.	PESO Weight kg	DIMENSIONI Dimensions			Aspira- zione Suction mm	Mandata Outlet mm
		L/min	gpm	bar	psi				LxHxW mm				
AR 903	3	91,3	24.1	50	725	8.9	550	30,8	360	355	337	Ø 40	Ø 3/4"G(M)
AR 1053	3	104,4	27.6	50	725	12.1	550	31,2	360	355	337	Ø 40	Ø 3/4"G(M)
AR 1203	3	116,3	30.7	50	725	13.7	550	31,2	360	355	337	Ø 40	Ø 3/4"G(M)



AR 903



AR 1053



AR 1203

POMPE A MEMBRANA AD ALTA PRESSIONE ANODIZZATE

Anodized high pressure diaphragm pumps • Pompes à membrane a haute pression anodisées • Eloxierete Hochdruck Membranpumpen • Bombas de membrana de alta presión galvanizadas



AR series

alta pressione anodizzata anodized high pressure



BHA 170

TIPO Type	N° mem- brane N° of diaph.	PORTATA Delivery		PRESSIONE Pressure		POTENZA Power HP	Giri/min R.P.M.	PESO Weight kg	DIMENSIONI Dimensions			Aspira- zione Suction mm	Mandata Outlet mm
		L/min	gpm	bar	psi				LxHxW mm				
BHA 130	3	125,2	33	50	725	14.4	550	40	397	417	418	ø 40	ø3/4"G(M)
BHA 150	3	142,3	37.6	50	725	17.1	550	40	397	417	418	ø 40	ø3/4"G(M)
BHA 170	4	162,5	42.9	50	725	19.2	550	51	467	451	418	ø 40	ø3/4"G(M)
BHA 200	4	193,7	51.2	50	725	21.8	550	51	467	451	418	ø 40	ø3/4"G(M)



BHA 130
BHA 150



BHA 170
BHA 200

12

POMPE A MEMBRANA AD ALTA PRESSIONE CON CONDOTTI ESTERNI E TESTATE IN ALLUMINIO ANODIZZATO

High pressure diaphragm pumps with external manifolds and heads in anodized aluminium • Pompes à membrane à haute pression avec buses extérieures et têtes en aluminium anodisées • Hochdruck- Membranpumpen mit Aussen-Austrittleitungen aus Bronze und Köpfe aus eloxierte Aluminium • Bombas de membrana de alta presión con conductos en bronce y cabezas de aluminio galvanizadas



BHA series